TOSHIBA

KIOSK RECEIPT PRINTER

KOP-3S01





KIOSK RECEIPT PRINTER

KOP-3S01



KOP-3S01 is a reliable printer that performs high quality and fast receipt printing. It comes with a loop presenter for advanced anti-jam functions. It is a perfect choice for kiosk business to take full advantage of this printer's performance to ensure smooth daily operations. What's more, the printer is designed with reliability in mind to withstand real life usage and demanding environments.

Speed

High-speed printing: up to 12 IPS
Allows fast transactions and high-volume operations

Jam Prevention



Presenter feature
prevents accidental receipt block and pull while quick to deliver at 40 IPS
Advanced anti-jam feature
allows the receipt to loop within the printer securely to prevent pull or block during printing

Reliability

High-reliability performance
with 200 km thermal head life
1.5 million cutter cuts.
LED Bezel
for clear status indications

Design



Compact size printer
easily fits into any kiosk designs
Auto feed paper
reduces paper change time/


KEY APPLICATIONS



Retail Kiosk



Payment Kiosk



Gaming Kiosk



Healthcare Kiosk



Ticketing Kiosk



F&B Ordering Kiosk

Reliable Kiosk Printing Solution

Ultra-fast. Jam-free. Space-optimized

TECHNICAL SPECIFICATIONS




Model Name	KOP-3S01
PERFORMANCE	
Maximum Print Speed	304.8 mm/sec
ANTI-JAM CAPABILITY	
Maximum Presenter Speed	1016 mm/s
Jam Detection	Yes
Jam Prevention	Yes (Loop receipt within the printer securely during printing. Pull to eject at high speed to prevent receipt skew)
Sensor	Jam Sensor, Pull/Block Sensor
HARDWARE	
Interfaces	USB 2.0 Type-B high speed
Voltage	24 VDC
Power Consumption	Max 75W
Power Supply	External
Auto Cutter	Full and Partial Cut (Selectable)
Auto Cutter Life	1.5 million cuts
Thermal Print Head Life	200 km
MCBF (Print Mechanism)	60 million lines
MCBF (Loop Presenter)	1.2 million transactions
MTBF	500,000 hours
Dimension	125.3(W) x 154.7(D) x 108.4(H) mm
Weight	1.16 kg
Operating Temperature	0 ~ 50 °C
Humidity	10 ~ 90 %
PRINT FONT	
Font A	Font Size 1: 12 x 24, Font Size 2: 13 x 28
Font B	Font Size 1: 9 x 24, Font Size 2: 10 x 28
Double Bytes Font	Font Size 1: 24 x 24, Font Size 2: 26 x 28
Code Pages	437, 850, 852, 857, 858, 860, 863, 865, 866, 874, 874LF, 1252, 1253, 1254, 1256, 936(Simplified Chinese), 950(Traditional Chinese)
Barcode	UPC-A, UPC-E, JAN8 (EAN8), JAN13 (EAN13), Code 39, Code 93, Code 128, Interleaf 2 of 5(ITF), Codabar(NW-7), PDF417, QR
SUPPORTED MEDIA	
Paper Width	58, 80 mm
Basic Weight	50 ~ 65 g/m2
Thickness	0.05 ~ 0.065 mm
Inner Core Diameter	12 mm
Outer Core Diameter	22 mm
Smoothness	180 sec. min.
GR APHICS	
Print Resolution	203 dpi
Print Width	54, 72 mm
SOFTWARE	
Windows Driver	Windows XP/7/8/10
OPOS	Yes
Java POS	Yes
Emulation	ESC / POS


ADDITIONAL INFORMATION

SUPPORTED PAPER HOLDER

3-inch/6 inch Top Loading Paper Holder




3-inch diameter



6-inch diameter


- **Fixed Position**
- **Paper Width:** 58 / 80mm
- **Roll Diameter:** Up to 3" / 6"
- **Loading Method:** Drop -in (Top)


6 inch Side Loading Paper Holder





- **Adjustable Positions** (5 settings)
- **Paper Width:** 58 / 80mm
- **Roll Diameter:** Up to 6"
- **Loading Method:** Left or Right

PRINTER DIMENSION









Units in mm

Connect with your Toshiba expert to see how our line of kiosk receipt printers can make all the difference in your business organization.

Contact us for further information about the printer

Toshiba Tec Singapore Pte Ltd.
2AngMoKioStreet62,Singapore69138 Tel(65)64819 488 www.toshibatec.com.sg

Rev 1.0