
TOSHIBA

KIOSK RECEIPT PRINTER

KOP-3S02



KOP-3S02-B KOP-3S02-J



Kiosk Receipt Printer

KOP-3S02



KOP-3S02-B



KOP-3S02-J

KOP-3S02 is compact size kiosk printer that comes with high performance to ensure smooth daily operations. High-speed printing comes with a high durability and reliability for continuous printing quality to minimise down-times. This printer is equipped with anti-jam (jam detection) feature which is only available on costly printers.

Speed

High-speed printing: up to 12 IPS
Allows fast transactions and high-volume operations

Jam Prevention



Advanced anti-jam feature
Detects receipt pulling or blocking during printing to pause it

Reliability

High-reliability performance
with 200 km thermal head life
1.5 million cutter cuts.
LED Bezel
for clear status indications

Design



Compact size printer
easily fits into any kiosk designs
Modular hardware design
for easy maintenance & replacement


KEY APPLICATIONS



Retail Kiosk



Payment Kiosk




Gaming Kiosk



Healthcare Kiosk



Ticketing Kiosk



F&B Ordering Kiosk

Reliable Kiosk Printing Solution

Ultra-fast. Jam-free. Space-optimized

TECHNICAL SPECIFICATIONS










Model Name	KOP-3S02-B	KOP-3S02-J
PERFORMANCE		
Maximum Print Speed	304.8 mm/sec	
ANTI-JAM CAPABILITY		
Jam Detection	Yes	
Jam Prevention	Yes (Pull or Block detection during printing)	
Sensor	Jam Sensor, Pull/Block Sensor	
HARDWARE		
Interfaces	USB 2.0 Type-B high speed	
Voltage	24 VDC	
Power Consumption	Max 75W	
Power Supply	External	
Auto Cutter	Full and Partial Cut (Selectable)	
Auto Cutter Life	1.5 million cuts	
Thermal Print Head Life	200 km	
MCBF	60 million lines	
MTBF	500,000 hours	
Dimension	125.2(W) x 107.2(D) x 108.5(H) mm	124.7(W) x 143.1(D) x 93.5(H) mm
Weight	0.9 kg	1 kg
Operating Temperature	0 ~ 50 °C	
Humidity	10 ~ 90 %	
PRINT FONT		
Font A	Font Size 1: 12 x 24, Font Size 2: 13 x 28	
Font B	Font Size 1: 9 x 24, Font Size 2: 10 x 28	
Double Bytes Font	Font Size 1: 24 x 24, Font Size 2: 26 x 28	
Code Pages	437, 850, 852, 857, 858, 860, 863, 865, 866, 874, 874LF, 1252, 1253, 1254, 1256, 936(Simplified Chinese), 950(Traditional Chinese)	
Barcode	UPC-A, UPC-E, JAN8 (EAN8), JAN13 (EAN13), Code 39, Code 93, Code 128, Interleaf 2 of 5(ITF), Codabar(NW-7), PDF417, QR	
SUPPORTED MEDIA		
Paper Width	58, 80 mm	80 mm
Basic Weight	50 ~ 65 g/m2	
Thickness	0.05 ~ 0.065 mm	
Inner Core Diameter	12 mm	
Outer Core Diameter	18 mm	
Smoothness	180 sec. min.	
GRAPHICS		
Print Resolution	203 dpi	
Print Width	54, 72 mm	72 mm
SOFTWARE		
Windows Driver	Windows XP/7/8/10	
OPOS	Yes	
Java POS	Yes	
Emulation	ESC / POS	

SUPPORTED PAPER HOLDER








	KOP-3S02-B	KOP-3S02-J
3-inch Top Loading Paper Holder -Fixed position -58 & 80 mm paper width -Up to 3-inch diameter -Drop in loading *KOP-3S02-B and KOP-3S02-J		
6-inch Top Loading Paper Holder -Fixed position -80 mm paper width -Up to 6 inch diameter -Top loading with spindle		
6-inch Side Loading Paper Holder -Configurable 5 positions -58 & 80 mm width Up to 6 inch diameter -Side loading from left or right		


PRINTER DIMENSION

KOP-3S02-B













Units in mm

KOP-3S02-J









Units in mm

Connect with your Toshiba expert to see how our line of kiosk receipt printers can make all the difference in your business organization.

Contact us for further information about the printer

Toshiba Tec Singapore Pte Ltd.
2AngMoKioStreet62,Singapore69138 Tel(65)64819 488 www.toshibatec.com.sg

Rev 1.0